

33691



LOWELL LOTSPEICH
ARCHITECT - PLANNER
WINTER PARK, FLORIDA

[illegible]


EXISTING PARKING 103 SPACES
REQUIRED PARKING 121 SPACES
DEATING FOR 250 $\div 1 = 64.5$
USABLE PATRON AREA $619275 = 56.0$
1121



SCALE 1/16" = 1'-0"

NOTE: SHADED BLGD. AREA DENOTES AREA TO BE RENOVATED & IS THE LIMITS OF THESE CONSTRUCTION DOCUMENTS

Begin at the intersection of the south line of the NE 1/4 of NW 1/4 of Section 11, Township 35 South, Range 17 East, and the center line of Tamiami Trail; thence North along the center line of Tamiami Trail, 170 feet for a Point of Beginning; thence continue North along said center line of Tamiami Trail 200 feet; thence N 89° 54' W 325 feet; thence S 0° 04' E 200 feet; thence S 89° 54' E 325 feet to the Point of Beginning; being in Section 11, Township 35 South, Range 17 East; LESS Road Right of Way in Deed Book 358, page 501, Public Records of Manatee County, Florida, SUBJECT to easement described in Deed Book 360, page 6, Public Records of Manatee County, Florida, being the North 200 feet of the property conveyed in deed dated January 13, 1961 from Jose Hrenak and Verna I. Hrenak, his wife, to Walter Gruhler and Elizabeth E. Gruhler, his wife, recorded January 16, 1961, in O. N. Book 53, page 370, public records of Manatee County, Florida.



PARKING
 EXISTING PARKING 103 SPACES
 REQUIRED PARKING 121 SPACES
 PLATING FOR 280 ÷ 4" x 4" = 70.0
 VARIABLE PATCH AREA 0192175 = 50.0
 N121



SITE PLAN

NOTE: SHADED BLDG. AREA DENOTES AREA TO BE RENOVATED & IS THE LIMITS OF THESE CONSTRUCTION DOCUMENTS

MANATEE COUNTY HEALTH DEPARTMENT
 These plans are approved. Subject restaurant will be constructed in accordance with the site app. ved. water & sewer plans.
 Date 6-22-81 Signature [Signature]

LOWELL LOTSPEICH
 ARCHITECT - PLANNER
 WINTER PARK, FLORIDA





PIZZA TIME THEATRE SARASOTA, FLORIDA

Date 6-9-81
 Scale 1/4" = 1'-0"
 Drawn RYC
 Job
 Sheet 1
 Of 1 Sheets

33691

DOOR SCHEDULE				
SIZE	MATERIAL	DOOR	FRAME	CORE
1. 8'-0" x 6'-0"	BR. AL. BRONZE	ALUM.	C, T, DP, S, MY, P	
2. 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S, V
3. 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S, V
4. 8'-0" x 6'-0"	WOOD	WOOD	H	H, MY, S
5. 8'-0" x 6'-0"	WOOD	WOOD	H	H, MY, S
6. 8'-0" x 6'-0"	WOOD	WOOD	S	H, PP, W, DOUBLE ACTION
7. 8'-0" x 6'-0"	WOOD	WOOD	S	C, DP, H, PP, S, V
8. 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S, C
9. 8'-0" x 6'-0"	WOOD	WOOD	S	A, C, P, S, T BLIND
10. 8'-0" x 6'-0"	METAL	METAL	A, C, P, S, T	
11. 8'-0" x 6'-0"	METAL	METAL	A, C, P, S, T, V	
12. 8'-0" x 6'-0"	METAL	METAL	A, C, P, S, T, V	
13. 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S
14. 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S, V
15. 8'-0" x 6'-0"	WOOD	WOOD	H	L, S, V

HARDWARE KEY			
SYN	DESCRIPTION	P	PANIC HARDWARE
C	CLOSURE	PP	PUSH PLATE
DP	DEEP PULL	S	SHO
H	PEEP HOLE	T	THRESHOLD
K	KEY PLATE	V	VENTED
MY	MYED	W	WINDOW
L	COURTESY LOCK	A	ALARM



FLOOR PLAN
SCALE 1/8" = 1'-0"
NOTE: ALL HEADER HEIGHTS TO BE 6'-0" OFF FIN. FLOOR UNLESS NOTED.

TYPICAL EXISTING WALL SECTION
SCALE 3/4" = 1'-0"

Lowell Lotspeich

PIZZA TIME THEATRE

PIZZA T

ate 6-9-8

總長 吳三

from RRC

10

chest



2

23

© 2000 Blackwell Science Ltd

DOOR SCHEDULE				
SIZE	MATERIAL	DOOR FRAME	CORE	REMARKS/HARDWARE
1 8'-0" x 6'-0"	DR. GL. & BRONZE	ALUM.	C, T, DP, S, MY, P	
2 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S, V
3 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S, V
4 8'-0" x 6'-0"	WOOD	WOOD	H	H, MY, S
5 8'-0" x 6'-0"	WOOD	WOOD	H	H, MY, S
6 8'-0" x 6'-0"	WOOD	WOOD	S	P, PP, V, DOUBLE ACTION
7 8'-0" x 6'-0"	WOOD	WOOD	S	G, PP, H, PP, S, V
8 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S, V
9 8'-0" x 6'-0"	WOOD	WOOD	S	A, C, P, S, T BLIND
10 8'-0" x 6'-0"	METAL	METAL	A	C, P, S, T
11 8'-0" x 6'-0"	METAL	METAL	A	C, P, S, T, V
12 8'-0" x 6'-0"	METAL	METAL	A	C, P, S, T, V
13 8'-0" x 6'-0"	WOOD	WOOD	H	MY, S
14 8'-0" x 6'-0"	WOOD	WOOD		RETRACTABLE STEPS
15 8'-0" x 6'-0"	WOOD	WOOD	H	S, V, V


HARDWARE KEY			
SYM	DESCRIPTION	P	PANICK HARDWARE
C	CLOSURE	PP	PUSH PLATE
OP	DOOR PULL	S	SHOP
H	PEEP HOLE	T	THRESHOLD
K	KICK PLATE	V	VENTED
MY	KEYED	W	WINDOW
L	COURTESY LOCK	A	ALARM



HANDICAPPED STALL PLAN

TYPICAL EXISTING
WALL SECTION

SCALE 34"=1'0"



FLOOR PLAN

SCALE 1" = 1'-0"

NOTE: ALL HEADER HEIGHTS TO BE 6'-8" OFF FIN.
FLOOR UNLESS DENOTED.


A SKEEBALL WALL ELEVATION

$$y_2 = i - c$$

Paniz Hdwr 11/7.2 1976 SAC.


Lowell Thompson

33691




NORTH ELEVATION

SCALE 1/8"=1'-0"



EAST ELEVATION

SCALE 1/8"=1'-0"



SOUTH ELEVATION

SCALE 1/8"=1'-0"

WALLS

NO.	DESCRIPTION
W1	CONCRETE
W2	CONCRETE W/ SMOOTH SPINCOAT OF PLASTER
W3	FIBERGLASS REINFORCED POLYESTER (FRP) WHITE OVER W6
W4	5/8" ROOF GROOVED & PLYWD T-111 OVER 1/2" SHEETROCK
W5	5/8" SHEETROCK
W6	5/8" WATER RESISTANT SHEETROCK
W7	1" TEXTUM
W8	5/8" ROOF GROOVED & PLYWD T-111 OVER 3/4" FLOORING STRIPS
W9	1/2" SMOOTH PLYWD TO CEILING

FLOORS

NO.	DESCRIPTION
F-1	3/8" AZULEX W/8 MAT RED (OR APPROVED EQUAL)
F-2	3/8" FLINTKOTE CLASSIC CLUE MAT (WHITE)
F-3	ARMSTRONG VINYL CORLAN SHEET VINYL COVER 6' BRIDGESTONE #8089 BROWN
F-4	CONCRETE W/ 2 COATS THOMPSON'S WATER SEAL
F-5	CUSTOM CARPET
F-6	ARMSTRONG VINYL CORLAN SHEET VINYL COVER 6' BRIDGESTONE #8089 WHITE
F-7	4" x 8" QUARTZITE

BASE

NO.	DESCRIPTION
B-1	4" TOP-SET RUBBER BASE - BROWN
B-2	4" TOP-SET RUBBER BASE - BROWN
B-3	COVE SHEET VINYL


CEILING

NO.	DESCRIPTION
C-1	2'-0" x 4'-0" SUSPENDED T-BAR SYSTEM
C-2	95% AMBETROCK
C-3	2'-0" x 4'-0" SUSPENDED T-BAR SYSTEM W/ VARIABLE TILES
C-4	EXISTING

FINISH SCHEDULE

AREA	FLOOR	PAGE	N	WALLS	E	W	CEILING	HEAT	MAT	REMARKS
1 THEATER DINING	F-5	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	SEE TYP. WALL SECTION
2 ELEC/MECHANICAL ROOM	F-2	B-2	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	NO CEILING
3 JANITOR'S ROOM	F-2	B-2	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	WHITE ENAMEL SEMI-GLOSS (WALL)
4 STOCKPLANE	F-2	B-2	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
5 OFFICE	F-2	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
6 COSTUME ROOM	F-5	B-1	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	SEE SHEET 201 & 202
7 CHANGE ROOM	F-2	B-1	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	WHITE ENAMEL SEMI-GLOSS (WALL)
8 EMPLOYEE AREA	F-2	B-2	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	"
9 CONFERENCE ROOM	F-2	B-2	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	"
10 HALLWAY	F-2	B-2	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	"
11 RESTAURANT AREA	F-2	B-2	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	"
12 WALK-IN COOLER	F-2	B-2	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	"
13 DRINK AREA	F-2	B-2	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	"
14 KITCHEN	F-2	B-2	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	"
15 COMPUTER ROOM	F-5	B-1	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	WHITE ENAMEL SEMI-GLOSS
16 PANTRY BAR DINING	F-5	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	SEE TYP. WALL SECTION
17 ENTRY	F-2	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
18 MEN'S RESTROOM	EXISTING									
19 WOMEN'S RESTROOM	EXISTING									
20 CHANGE RESTROOM	F-5	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
21 MURDER ROOM	F-5	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
22 ALCOVE	F-5	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
23 EMPLOYEE AREA	F-5	B-1	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
24 OVERALL	F-2	B-2	W-4	W-4	W-4	W-4	11'-0"	C-1	C-1	"
25 COMPUTER ROOM-2	F-2	B-1	W-5	W-5	W-5	W-5	11'-0"	C-1	C-1	WALLS WHITE ENAMEL SEMI-GLOSS

Lowell Lotspeich



NOTES

1. 8'-0" CEILING HEIGHT IN KITCHEN, DOUGH AREA, SKULLERY, CARBONATION ROOM & BAR AREA. "T" BAR SYSTEM W/ VARIABLE SURFACES. CERAMIC/GARD BY ARMSTRONG OR APPROVED EQUAL. COLOR: WHITE. ITEM: 505.
2. 11'-0" IN THEATER DINING, GAME AREA. "T" BAR SYSTEM. CORTENA CHROME BY ARMSTRONG. IDENTIFY. COLOR: COFFEE. (BLACK IN THEATER DINING).
3. 8'-0" CEILING HEIGHT IN EMPLOYEE AREA, OFFICE, OFFICE, JANITOR'S CHANGING ROOM, LOCKER & COMPUTER ROOM. "T" BAR SYSTEM. CORTENA MINA BOARD BY ARMSTRONG. ITEM 701A. COLOR: WHITE.
4. 10'-0" CEILING HEIGHT IN PIANO-BAR DINING, ENTRY & SERVICE AREA. "T" BAR SYSTEM. CORTENA CHROME BY ARMSTRONG. COLOR: COFFEE.
5. EXISTING CEILING TO REMAIN IN MEN'S & WOMEN'S RESTROOMS.
6. 3000 CFM EXHAUST FAN ABOVE OVEN IN KITCHEN. 150 CFM E.F. IN MEN'S WOMEN'S RESTROOMS. 150 CFM E.F. IN COMPUTER ROOM I & II.
7. 11'-0" (OR EQUAL TO EXISTING CEILING) IN EXTERIOR PORTICO "T" BAR SYSTEM W/ VARIABLE SURFACES. CERAMIC/GARD BY ARMSTRONG. COLOR: PAINTED COFFEE. ITEM: 505.


REFLECTED CEILING PLAN

SCALE: 1/8" = 1'-0"


LOWELL LOTSPEICH
ARCHITECT - PLANNER
WINTER PARK, FLORIDA

PIZZA TIME THEATRE
WINTER PARK, FLORIDA


Date: 6-7-81
Scale: 1/8" = 1'-0"
Drawn: RRC
Asst:
Sheet:
Of: 4



ALP. V&P 15A



ELECTRICAL OUTLET PLAN SCALE 1/8"=1'-0"



NOTES

1. PROVIDE ELECTRICAL SERVICE IN MECHANICAL ROOM FOR AIR COMPRESSOR & AIR DRYER (ACTION 200/60/5 1HP DEDICATED SERVICE)
2. PROVIDE 20 AMP FOR EXTERIOR ILLUMINATED SIGN TO WORK THROUGH TIME CLOCK
3. PROVIDE ELECTRICAL SERVICE FOR EXTERIOR LIGHTING IN TICKET BOOTH & RESTAURANT DISPLAY CASES TO WORK THROUGH TIME CLOCK
4. PROVIDE DOORBELL UNDER TICKET BOOTH TO RING IN KITCHEN
5. PROVIDE DOORBELL AT FRONT DOOR TO RING IN KITCHEN
6. ALL COVER PLATES IN KITCHEN TO BE METAL
7. ADDITIONAL ELECTRICAL NOTES ON SHEETS SD1 & SD2 & LIGHTING SHEETS
8. ALL WIRING PER SECTION 512-3 N.E.C.
9. ALL EXIT SIGNS ON SEPARATE CIRCUIT SEC. 5512 U.B.C. (C-2) (RELATES TO OCCUPANCY LOADS)
10. ALL OUTLETS TO BE -12" UNLESS OTHERWISE NOTED
11. LOW-VOLTAGE FACEWAYS TO BE OF 3/4" PVC W/ PLASTIC END STOP-OUT ABOUT FACEWAY
12. SEE KITCHEN EQUIPMENT PLAN FOR ADDITIONAL ELECTRICAL REQUIREMENTS

LEGEND


- DENOTES LOW-VOLTAGE FACEWAY
- DENOTES FLOOR DUPLEX
- ⊕ DENOTES TYPICAL OUTLET
- △ DENOTES 20 AMP (DEDICATED) TWIST LOCK ISOLATED GROUND CIRCUIT
- ⊞ DENOTES DIRECT CONNECTION TO EQUIPMENT (SEE EQUIPMENT SCHEDULES)
- TV DENOTES TELEVISION MONITOR (SEE DETAIL)
- ⊞ DENOTES GAME DUPLEX / 2 DUPLEXES PER 20 AMP CIRCUIT

33691

LOWELL LOTSPEICH
ARCHITECT - PLANNER
WINTER PARK, FLORIDA

PIZZA TIME THEATRE
GAINESVILLE, FLORIDA

Date 6-7-75
Scale 1/8"=1'-0"
Drawn P.F.C.
Job
Sheet
6
OF Sheets



EQUIPMENT PLAN

SCALE: 1/8"=1'-0"

EQUIPMENT SCHEDULE

DESCRIPTION	QTY	BASE	VOLT	PHASE	AMP	HP	KW	GNN	COLD	HOT	DRAIN	REMARKS
1. FREEZER (CAP/IN)	1	LEAS	120	1	7.0	1/2	1.2	D				COND. EVAPORATOR
2. 3 COMPARTMENT GIN	1	LEAS	208	3	55.6	1	20	D				1/2" 1/2" 3/2" TRAP BELOW FLOOR (PER 248)
3. DOWNGRADE W/ BOOSTER	1	W/STAND	208	3	4.1	1	1.5	D				3/4" 2"
4. DOWNGRADE	1	W/STAND	208	3	4.1	1	1.5	D				3/4" 2"
5. MIXER	1	W/STAND	208	3	4.1	1	1.5	D				3/4" 2"
6. DOWNGRADE	1	W/STAND	120	1	15	1/2	1.6	C				
7. DOWNGRADE	1	120	1	15.6	3/4	1.7	C					
8. CUPBOARD TABLE TOPS	3											SEE DETAIL SHEET D-2
9. PIZZA MAKE-UP TABLE	1	LEAS	120	1	2.0	1/2	1.0	C				SELF-CONTAINED COND. EVAPORATOR
10. PIZZA OVEN	1	LEAS	208	1	21.6			D				3/4" NPT GAS 1/2" NPT WATER 225,000 BTU (MAX)
11. EXHAUST SYSTEM	1	120	1	20.0	3/4	2.6	D					9000 CFM
12. ICE MAKER	1	200	3	6.6	1	2.4	D					1/2" INSULATED LINE TO RS BY PLUMBER
13. ICE BIN (CAME AS ABOVE)	1	LEAS	120	1	4.2	1/2	1.0	D				INSULATED LINE TO RS BY PLUMBER
14. WALK-IN COOLER (COMPRESSOR ON ROOF)	1	200	3	7.2	2	2.8	D					
15. SANDWICH TABLE	1	CANTOP	120	1	5.0	1/4	1.7	C				SELF-CONTAINED COND. EVAPORATOR
16. PIZZA CUTTING TABLE	1											
17. MURPHY-WAVE	1	120	1	18.3			2.2	C				
18. HEAT LAMP	2	120	1	15			1.25	D				WIRE THRU INFINITE CONTROL
19. BACK BAR UNIT	1											
20. OFFICE MAKER	1	120	1	15				C				
21. HEAT LAMP SHELVES	2											
22. SANITARY SINK	1											1/2" 1/2" 3/4"
23. HAND SINK	2	(SEE PLUMBING PLAN)										3/4" 3/4" 1/2"
24. SALAD BAR	1	LEAS										
25. WATER HEATER (65 GAL)	1	(125,000 BTU)										3/4" GAS CONN.
26. SHELVING (WALK-IN)												
27. CUPBOARD SHELVING												
28. CUPBOARD SHELVING												
29. COLA TOWERS	2											
30. TAYLOR FREEZER (CUPBOARD)	1	CANTOP	208	3	20.0	1	7.0	C				
31. DRY-GOOD STORAGE												
32. DOWNGRADE	1	LEAS	120	1	7.2	1/2	1.6	C				
33. LOCKERS												
34. AIR COMPRESSOR	1	200	3	20.0	3/4	2.6	C					

NOTES


- D - CONNECTION DENOTES DIRECT WIRING
- C - CONNECTION DENOTES CONVENIENCE OUTLET
- SEE OUTLET PLAN FOR ABOVE OUTLET LOCATIONS

REVISIONS	BY

LOWELL LOTSPEICH
ARCHITECT - PLANNER
WINTER PARK, FLORIDA

PIZZA TIME THEATRE
GAINESVILLE, FLORIDA

Date	6-9-81
Scale	1/8"=1'-0"
Drawn	ARC
Job	
Sheet	7



PLUMBING PLAN

SCALE 1/8" = 1'-0"

PLUMBING SCHEDULE

1. HANDSINK: AMERICAN STANDARD QTY-2 SELECTION LEFT TO CONTRACTOR'S DISCRETION
2. SERVICE SINK: AMERICAN STANDARD AFRON SERVICE SINK #74-016 WITH 8071-024 RIM AVALAD
3. WATER HEATER: 85 GAL. 250,000 BTU SELECTION TO CONTRACTOR'S DISCRETION
4. FLOOR SINK: STANDARD 1/2" X 6" DEEP QTY-4 - 4 COVER
5. FLOOR DRAIN: TOTAL QTY 3- SELECTION LEFT TO CONTRACTOR'S DISCRETION

RESTROOM FIXTURES


1. TOILET PAPER DISPENSERS: KEMPER #2220, SURFACE MOUNTED 1 PER STALL TOTAL QTY 8
2. SOAP DISPENSERS: KEMPER 12 2016 COUNTER MOUNTED 2 PER RESTROOM TOTAL QTY 4
3. HAND DRYER: WORLD #174 WALL MTD. AT 44" - 2 PER RESTROOM TOTAL QTY 2
4. FEMINE WASHIN: KEMPER 12 2016 SURFACE MTD 1 PER STALL (WASHING) TOTAL QTY 15
5. MALE WASH: KEMPER 12 2016 SURFACE MTD 1 SET PER HANDICAPPED STALL TOTAL QTY 2 SETS
6. CALIFORNIA TOILET SEAT COVERS - SELECTION LEFT TO CONTRACTOR'S DISCRETION

LEGEND

- ☒ FLOOR SINK
- ⊗ FLOOR DRAIN
- ⊕ GAS LINE SUPPLY
- COLD WATER SUPPLY
- HOT WATER SUPPLY
- ⊕ WATER HEATER (85 GAL)
- AIR PROP (SEE DETAIL SHT. 502)

33691




Lowell Lotspeich






SEATING PLAN SCALE 1/8" = 1'-0"

SEATING SCHEDULE

- TABLE
BENCHES
- 60" x 30"
60" x 18"
SEATS 4 PERSONS
- TABLE
- 60" DIAMETER
SEATS 6 PERSONS
- TABLE
- 30" DIAMETER
SEATS 3 PERSONS
- 258








(A) ELEVATION

(B) SECTION



(C) PLAN SECTION

HANDRAIL DETAILS



(D) SECTION

COUNTER

33691


REVISIONS	BY

LOWELL LOTSPEICH
ARCHITECT - PLANNER
WINTER PARK, FLORIDA

PIZZA TIME THEATRE


Date	
Scale	
Drawn	
Job	
Sheet	
Of	D-2
Sheets	

Lowell Lotspeich




STAGE PLAN - FLOOR LEVEL


SCALE 1/8" = 1'-0"



SECTION A




SECTION B




SECTION C

STAGE DESIGN




STAGE ELEVATION

SCALE 1/8" = 1'-0"



STAGE PLAN - PLATFORM LEVEL


SCALE 1/8" = 1'-0"



- ① RECESSED LIGHT CAPA1 CFS-10 100 WATT
- ② SHALLOW RECESSED CAPA1 R 12P 60 WATT

STAGE FLOOR LEVEL ELECTRICAL

SCALE 1/8" = 1'-0"




- ① LIGHT FIXTURE ASSEMBLY FURNISHED BY SITE, INSTALLED 8'-12" ABOVE FF
- ② TWO STAND CIRCLES FOR HOOK-UP W/ SITE ASSEMBLY 8'-12" ABOVE FF
- ③ HIGH PRESSURE AIR SUPPLY (SEE AIR DROP DETAIL THIS SHEET)

NOTE: VERIFY OUTLET TYPES WITH OWNER.

STAGE PLATFORM LEVEL ELECTRICAL

SCALE 1/8" = 1'-0"




- ① BLOCKING TO PRINCE PEAK OF SCREEN FLUSH WITH RAIL
- ② 3/4" X 3/4" POST (TYPE)

- ③ 3/4" ROUNDED SCREEN TO FOLLOW SHAPE OF RAIL & FASTENING SCREWS TO BUILDING WHERE NECESSARY.

STAGE UPPER SCREEN PLAN

SCALE 1/8" = 1'-0"



- ① INLET THREADS
- ② 1/2" TWO THROUGH
- NOTE: MAINTAIN SLOPE 1/8" TO 1/4" ALL LOW POINTS REQUIRE DRAINAGE

AIR DROP DETAIL

N.T.S.

REVISIONS BY

LOWELL LOTSPEICH
ARCHITECT
WINTER PARK, FLORIDA

PIZZA TIME THEATRE

Date
Scale **AS NOTED**
Drawn **P.R.C.**
Job
Sheet
SD 2
Of
Sheets

STAGE DESIGN
Lowell Lotspeich